



Compliance Statement

No. 2017-792

Data communication cable, Category 6A

Company

Turera Teknolojik Ürünler A.Ş.
Küçükbakkalköy Mah. Ozan Veysel Sk. No:9 K:1 D:2
Ataşehir İstanbul
Turkey

Product description

Unscreened cable (U/UTP) characterised up to 500 MHz
Horizontal floor wiring cable, 100 Ω
4 twisted pairs
Flame retardant, halogen free

Product identification

Category 6A U/UTP LSZH 4*2*23AWG LAN Cable
Zemecs T131ZMX
M denotes jacket colour, X denotes length, Y denotes package type

Generic cabling and cabling components standards - Category 6A cable requirements

- ISO/IEC 11801:2011 (Ed. 2.2)
 - IEC 61156-5:2012 (Ed. 2.1)
 - EN 50173-1:2011
 - EN 50173-2:2007 including amendment A1:2010
 - EN 50288-11-1:2012
 - ANSI/TIA-568-C.2:2009
- including all cable alien crosstalk parameters (PS ANEXT and PS AACR-F)

Standards for flammability, halogen acidity, and smoke performance

- IEC 60332-1-1:2015 (Ed. 1.1) / IEC 60332-1-2:2015 (Ed. 1.1)
- IEC 60754-1:2011 (Ed. 3.0) / IEC 60754-2:2011 (Ed. 2.0)
- IEC 61034-1:2013 (Ed. 3.1) / IEC 61034-2:2013 (Ed. 3.1)

Technical report

DELTA-T733764, DANAK-19/18362

EC Cabling product ID


6453

CS valid until

25 September 2018

This product has been tested by DELTA EC Cabling Group and complies with the requirements of the above specified standards and "Terms and conditions for the EC VERIFIED programme for Generic and Coaxial Cabling", DQP231006. The product takes part in a maintenance schedule, which implies that DELTA EC Cabling performs a quality audit of the manufacturer's production and QA sites. The maintenance testing of the product is performed on a sample basis.

Hørsholm, 25 September 2017


Lars Lindskov Pedersen
Test Manager


Dennis Andersen
Head of Department

DELTA – a part of FORCE Technology

Venlighedsvej 4 Tel. +45 72 19 40 00
2970 Hørsholm Fax +45 72 19 40 01
Denmark www.madebydelta.com/cable





DELTA – a part of FORCE Technology

Venlighedsvej 4
2970 Hørsholm
Denmark

Tel. +45 72 19 40 00
Fax +45 72 19 40 01
www.madebydelta.com/cable

